






# Heta Glass Industries




**ULTIMATE SOLUTION FOR  
FLUID TRANSMISSION WORLD...**

**Off. & Factory :**  
490/491, D 1/1, Chandan Complex,  
Opp. Himalaya Machinery, GIDC,  
Makarpura, Vadodara - 390 012.



# LINED SPACER



Nominal Bore (NB)		Diameter B	Length(L) Min.	Length(L) Max.	Liner Thickness	Wall Thickness
(mm)	Inches	(mm)	(mm)	(mm)	(mm)	(mm)
25	1	64	26	60	3.3	18.5
40	1.5	83	26	60	3.3	20.7
50	2	102	26	70	3.3	24.5
80	3	133	26	70	3.3	27.8
100	4	171	26	70	4.5	34.8
150	6	219	26	80	5.0	32.5
200	8	275	<b>Upon Request</b>			
250	10	336				
300	12	405				

## HOUSING MATERIAL

Body : Made from IS 2062 Plates  
 Liner : PTFE in accordance with ASTM D 1457

## OPTIONS

Material : Stainless Steel  
 Extras : Earthing Studs / Lugs Vent Extensions to suit DIN PN 10/16 BS 10, ASME 300 Flange

## TEST & INSPECTION DATA

Spark Test : 15 KV D.C. After Lining

# HG

**H**onesty

**E**fficiency

**T**ransparency

**A**mbitions



**Heta Glass  
Industries**

639, G.I.D.C., Waghodia, Dist.: Vadodara - 391 760, Gujarat, India.  
Cell : +91 93272 16687 / 98791 81806  
Email : sales@vinayak-industries.com,  
Website : www.vinayak-industries.com